

# Carbide Cutters - Orange Band

For use on Stainless Steel, Tough Metal, Anodised Aluminium etc.

## Taper Shank

### Standard Engraving Cutter



### Rigid Blade Slotting Cutter



### Heavy Duty Engraving Cutter



Description	Tip Dia.	Shank	Carbide Tipped	Single ended	Slotting Cutter	Code	Price (£)
Standard Engraving Cutter	0.140"	Taper	●	●		OT 140	10.70
Rigid Blade Slotting Cutter	0.140"	Taper	●	●	●	OTS 140	13.30
Heavy Duty Engraving Cutter	0.187"	Taper	●	●		OT 187	13.30
Heavy Duty Engraving Cutter	0.250"	Taper	●	●		OT 250	13.90

## Straight Shank



TIP DIA

SOLID CARBIDE CUTTERS

Tip Dia.	Shank Dia.	Length	Carbide Tipped	Solid Carbide	Single ended	Double Ended	Slotting Cutter	Code	Price (£)
0.125"	1/8"	1"		●	●			OS 125	6.90
0.125"	1/8"	2"		●	●			OJ 125	9.50
0.125"	1/8"	2"		●		●		OJ 125 DE	10.60
0.125"	1/8"	4"		●	●			OG 125	10.40
0.125"	1/8"	4 1/2"		●	●			OW 125	11.50
0.125"	1/8"	4 1/2"		●	●		●	OWS125	14.90
0.125"	1/8"	5"		●	●			OW125L	12.60
0.140"	11/64"	6 1/2"	●		●			OG 1164	11.50
0.140"	11/64"	200mm	●		●			OG1164200	14.75
0.140"	11/64"	6 1/2"	●		●		●	OGS1164	14.95
0.172"	11/64"	6 1/2"		●	●		●	OGS1164S	20.70
0.172"	11/64"	6 1/2"		●	●			OG 1164S	17.95
0.140"	1/4"	2"	●		●			OJ 140	8.10
0.140"	1/4"	2"	●		●		●	OJS 140	10.70
0.187"	1/4"	2"	●		●			OJ187	11.20
0.250"	1/4"	2"		●	●			OJ 250 SE	12.60
0.250"	1/4"	2"		●		●		OJ 250 DE	14.30
0.140"	1/4"	3"	●		●			OS 140	8.60
0.140"	1/4"	3"	●		●		●	OSS 140	11.80
0.187"	1/4"	3"	●		●			OS 187	11.20
0.250"	1/4"	3"		●	●			OS250SE65	15.60
0.250"	1/4"	3"		●	●			OS 250 SE	15.60
0.250"	1/4"	3"		●		●		OS 250 DE	17.10

# Carbide Cutters - Orange Band

For use on Stainless Steel, Tough Metal, Anodised Aluminium etc.

2 of 2

## Straight Shank - Continued

Tip Dia.	Shank Dia.	Length	Carbide Tipped	Solid Carbide	Single ended	Double Ended	Slotting Cutter	Code	Price (£)
0.140"	1/4"	5"	●		●			OC 140	10.70
0.188"	1/4"	5"	●		●			OC 187	12.80
0.250"	1/4"	5"		●	●			OC 250	19.60
0.140"	1/4"	6 1/2"	●		●			OG 140	11.50
0.140"	1/4"	6 1/2"	●		●		●	OGS 140	14.50
0.188"	1/4"	6 1/2"	●		●			OG 187	13.90
0.250"	1/4"	6 1/2"		●	●			OG 250	21.80
0.250"	3/8"	3"	●		●			OS 250 38	12.80
0.140"	3/8"	5"	●		●			OS 140 38L	12.30
0.250"	3/8"	5"	●		●			OS 250 38L	13.90
0.375"	3/8"	2 1/4"		●	●			OS 375	23.50
3mm	3mm	30mm		●	●			OK 3M	6.90
3mm	3mm	50mm		●	●			OJ3MSE	9.50
3mm	3mm	50mm		●		●		OJ3MDE	10.60
4mm	4mm	30mm		●	●			OS4M30	10.60
3.5mm	4mm	62mm	●		●			OP 140 4M	10.70
3.5mm	4mm	120mm	●		●			OH 140 4M	11.00
4mm	4mm	60mm		●	●			OH4M60	14.90
4mm	4mm	60mm		●		●		OH4M60DE	18.30
4mm	4mm	120mm		●	●			OH 4M	15.70
6mm	6mm	45mm		●	●			OK 6M	12.65
3.5mm	6mm	50mm	●		●			OJ 140 6M	8.10
3.5mm	6mm	50mm	●		●		●	OJS1406M	10.70
6mm	6mm	50mm		●	●			OJ6MSE	12.60
6mm	6mm	50mm		●		●		OJ6MDE	14.30
3.5mm	6mm	75mm	●		●			OS 140 6M	8.60
3.5mm	6mm	75mm	●		●		●	OSS 140 6M	11.80
4.7mm	6mm	75mm	●		●			OS 187 6M	11.20
6mm	6mm	75mm		●	●			OS 6M SE	15.60
6mm	6mm	75mm		●		●		OS 6M DE	17.10
3.5mm	6mm	165mm	●		●			OH 140 6M	11.50
4.7mm	6mm	165mm	●		●			OH 187 6M	13.90
6mm	6mm	165mm		●	●			OH 6M	21.80
6.3mm	10mm	75mm	●		●			OS 250 10M	12.80
10mm	10mm	60mm		●	●			OS 10M	23.50

## Cutter Grinding

Description	Code	Price (£)
Ground Parallel	CG-PA	1.60
Any Angle	CG-AN	1.60
Back to Axis	CG-CBA	3.80
Ball Ended	CG-BE	4.00
1/4 Ground		3.80