

Taper Shank


Standard Engraving Cutter



Rigid Blade Slotting Cutter




Heavy Duty Engraving Cutter



Description	Tip Dia.	Shank	Carbide Tipped	Single ended	Slotting Cutter	Code	Price (£)
Standard Engraving Cutter	0.130"	Taper	●	●		BT 130	10.20
Standard Engraving Cutter	0.170"	Taper	●	●		BT 170	11.00
Rigid Blade Slotting Cutter	0.130"	Taper	●	●	●	BTS 130	12.60
Heavy Duty Engraving Cutter	0.187"	Taper	●	●		BT 187	12.90
Heavy Duty Engraving Cutter	0.250"	Taper	●	●		BT 250	13.45

Straight Shank



Tip Dia.	Shank Dia.	Length	Carbide Tipped	Solid Carbide	Single ended	Double Ended	Slotting Cutter	Code	Price (£)
0.125"	1/8"	1"		●	●			BS 125	6.50
0.125"	1/8"	2"		●	●			BJ 125 SE	9.50
0.125"	1/8"	2"		●		●		BJ 125 DE	10.80
0.125"	1/8"	4"		●	●			BG 125	10.80
0.125"	1/8"	4 1/2"		●	●			BW 125	11.40
0.125"	1/8"	4 1/2"		●	●		●	BWS 125	15.00
0.125"	1/8"	5"		●	●			BW 125L	12.60
0.130"	11/64"	6 1/2"	●		●			BG 1164	10.20
0.130"	11/64"	90mm	●		●			BG116490	10.20
0.130"	11/64"	200mm	●		●			BG1164200	14.50
0.172"	11/64"	6 1/2"		●	●			BG1164S	18.40
0.130"	11/64"	6 1/2"	●		●		●	BGS1164T	13.45
0.172"	11/64"	6 1/2"		●	●		●	BGS 1164S	20.90
0.130"	1/4"	2"	●		●			BJ 130	6.75
0.130"	1/4"	2"	●		●		●	BJS130	10.70
0.187"	1/4"	2"	●		●			BJ187	10.20
0.250"	1/4"	2"		●	●			BJ 250SE	12.50
0.250"	1/4"	2"		●		●		BJ 250 DE	15.00
0.130"	1/4"	3"	●		●			BS 130	7.35
0.130"	1/4"	3"	●		●		●	BSS 130	10.80
0.187"	1/4"	3"	●		●			BS 187	10.20

Carbide Cutters - Brown Band

For use on Hard Laminates, Plastics etc. 2of2

Straight Shank - Continued

Tip Dia.	Shank Dia.	Length	Carbide Tipped	Solid Carbide	Single ended	Double Ended	Slotting Cutter	Code	Price (£)
0.250"	1/4"	3"		●	●			BS 250SE	15.00
0.250"	1/4"	3"		●		●		BS 250DE	17.50
0.250"	1/4"	3"		●	●		(30mm Blade)	BS250SE30B	21.50
0.130"	1/4"	5"	●		●			BC 130	10.20
0.130"	1/4"	5"	●		●		●	BCS 130	13.45
0.187"	1/4"	5"	●		●			BC 187	12.40
0.250"	1/4"	5"		●	●			BC 250	20.30
0.130"	1/4"	6 1/2"	●		●			BG 130	10.20
0.130"	1/4"	180mm	●		●			BG130-180	10.50
0.130"	1/4"	6 1/2"	●		●		●	BGS 130	13.45
0.187"	1/4"	6 1/2"	●		●			BG 187	12.40
0.250"	1/4"	6 1/2"		●	●			BG 250	21.00
0.250"	3/8"	3"	●		●			BS 250 38	11.80
0.375"	3/8"	2 1/4"		●	●			BS 375	24.00
3mm	3mm	28mm		●	●			BM3M	6.00
3mm	3mm	30mm		●	●			BK 3M	6.50
3mm	3mm	50mm		●	●			BJ3MSE	9.50
3mm	3mm	50mm		●		●		BJ3MDE	10.80
4mm	4mm	38mm		●	●			BP4M	12.20
0.130"	4mm	62mm	●		●			BP 130 4M	10.20
3.4mm	4mm	120mm	●		●			BH1304M	10.20
4mm	4mm	60mm		●	●			BH4M60	13.10
4mm	4mm	120mm		●	●			BH 4M	15.00
6mm	6mm	28mm		●	●			BM6M	12.50
6mm	6mm	45mm		●	●			BK 6M	13.60
3.4mm	6mm	50mm	●		●			BJ1306M	6.75
3.4mm	6mm	75mm	●		●			BS 130 6M	7.35
3.4mm	6mm	75mm	●		●		●	BSS 130 6M	10.80
4.7mm	6mm	75mm	●		●			BS 187 6M	10.20
6mm	6mm	75mm		●	●			BS 6M SE	15.00
6mm	6mm	75mm		●		●		BS 6M DE	17.50
6mm	6mm	75mm		●	●		(30mm Blade)	BS6MSE30B	21.50
3.4mm	6mm	165mm	●		●			BH 130 6M	10.20
3.4mm	6mm	165mm	●		●		●	BHS1306M	13.45
4.7mm	6mm	165mm	●		●			BH 187 6M	12.40
6mm	6mm	165mm		●	●			BH 6M	21.00
6.3mm	10mm	75mm	●		●			BS 250 10M	11.80
10mm	10mm	60mm		●	●			BS 10M	24.00

Cutter Grinding

Description	Code	Price (£)
Ground Parallel	CG-PA	1.60
Any Angle	CG-AN	1.60
Back to Axis	CG-CBA	3.80
Ball Ended	CG-BE	4.00
1/4 Ground		3.80